The Puerto Rico Chamber of Commerce and its Health Committee present the

10:08 AM

HEALTH

Ö



# PUERTO RICO ealth& Insurance CONFERENCE 2021

Mental Health Challenges in Puerto Rico:

**Beyond the Opioids Crisis** 

Lcdo. Astro Muñoz Aponte CEO First Hospital Panamericano Inc.





### Puerto Rico Health & Insurance Conference 2021 Addressing Problematic Opioid Use: Chronic Disease

- Total US societal costs of prescription opioid abuse were estimated at \$55.7 billion in 2020. Workplace costs accounted for \$25.6 billion (46%), health care costs accounted for \$25.0 billion (45%), and criminal justice costs accounted for \$5.1 billion (9%).
- Of the 2,500 to 3,000 deaths that referred annually to the Forensic Toxicology Laboratory, **69%** are related to drug use.
- Deaths referred for chemical analysis in 2020, the ICF found that **41%** were related to **opiates**, 39% to cocaine and 11% to cannabinoids. (*Opioids include morphine, codeine, heroin, fentanyl, and their derivatives, such as* oxycodone, buprenorphine, methadone, tramadol, and Demerol)
- Since 2017, the Panamericano Behavioral Health System has experienced yearly increment of 38% in patients with a diagnosis of substance use.

#### **Challenges:**

- **ACCESSIBILITY:** 
  - Stigma related to Behavioral Health
  - Intrinsic motivation, and preparedness to change behavior
  - The lack of data that allow to see the magnitude of the problem.
- **LEGAL:** 
  - Judicial Approach: The justice system is the single largest source of referral to substance use disorder treatment. Individuals suffering from Opioid Use Disorder (OUD) are 13 times more likely to be involved in the criminal justice system, with many having cooccurring mental health issues. \*

#### **HEALTH CARE:**

- Behavioral Health Providers: more complex health care needs.
- Health Insurers/ Payors : the lack of parity in paying for, and treating, OUD compared to other chronic diseases.
- Level of Care: Lack of transitional care/ Senate 907 Resolution Increased risk of deaths due to Loss of tolerance after inpatient opiate detoxification and relapse.



**15-24** 

25-44

45-64


65 and over




Sources Used to Obtain Opioids



**OUD** Age Distribution



#### Substance Use Related FHP Admissions by Year



2018 2019 2020

#### Puerto Rico Health & Insurance Conference 2021



## Addressing Problematic Opioid Use:

#### Ways to Prevent:

- ACCESSIBILITY:
  - Senate Bill 71: Proposes creating the Puerto Rico Opioid Overdose Death Prevention Act and that would facilitate access to **naloxone** and implement a prevention and statistics program.
  - **Cross-disciplinary collaboration:** Bring together stakeholders to form partnerships and multidisciplinary teams that can create **effective** educational initiatives.
  - LEGAL:
    - Mental Health Code of Puerto Rico: Section 4.11. Compulsory Treatment
    - Law to regulate the detection tests of controlled substances in the private labor sector: Section 5.b.5
  - ASSMCA :Prescription Drug Monitoring Program PDMP HEALTH CARE:
    - Level of Care: Extended continuing care monitoring program is essential to maintain the stability of patients diagnosed with substance use disorder thus preventing avoidable readmissions.
    - Health Insurers / Payors : Expand coverage, case management and care coordination services both to hospitals and MCOs







## Workplace Mental Health:

- Action steps employers can take include:
- Offer free clinical screenings for depression and other ٠ behavioral health conditions from a qualified mental health professional, followed by directed feedback and clinical referral when appropriate.
- Make mental health self-assessment tools available to ٠ all employees.
- Distribute materials, such as brochures, fliers, and videos, to all employees about the signs and of mental health conditions symptoms and opportunities for treatment
- Host seminars or workshops that address depression ٠ and stress management techniques, like mindfulness, breathing exercises, and meditation, to help employees reduce anxiety and stress and improve focus and motivation.



Depression and anxiety is the leading cause of lost productivity, costing the global economy an estimated **\$1 Trillion Annually** 

Depression is estimated to cause 200 Million lost workdays each year



mental illness

Mental illness does not

discriminate

against whom it

affects; every

age, race, and

gender can be

diagnosed



working-age individuals

experiences a mental illness

Mental health disorders are the single most expensive category of health cost for many employers, across all industries and sizes





Education and early intervention promotes workplace wellness



# THANK YOU!Follow us:(f)(f)(in)(in)(in)

# www.camarapr.org #CamaraEnAccion



"Es hermoso escribir porque reúne las dos alegrías: hablar uno solo y hablarle a la multitud" CESARE PAVESE POETAY NOVELISTA ITALIANO

#### CONTENIDO

	Puerto Rico Hoy	4-16
ap / vaggelis kousionas	Flash & Cultura	18-21
	Negoclos	22-26
	OpInión	34-36
	Cartas	37
	Mundiales	38-39
	Notas aclaratorias	50
sde	Deportes	52-55

## Temerosos tras sismo en Grecia

Un hombre sale de una caseta de campaña aver, en un campo de fútbol, luego de que un terremoto sacudió la aldea de Damasi en el centro de Grecia. Ternerosos de regresar a sus hogares, miles de personas en este país europeo pasaron la noche al aire libre. El fuerte sismo, que se sintió en toda la región, dejó viviendas y edificios públicos dañados.

#### HORÓSCOPO PÁGINA 21

## Bibliography:

- Opioid Crisis in Puerto Rico: hearing before the Commission on Community Initiatives, Mental Health and Addiction (Serial 108-134), 19th Senate (2021)
- Scholl, L., P., Seth, M., Kariisa, et al. Drug and Opioid-Involved Overdose Deaths—United States, 2015–2020.
- Morbidity and Mortality Weekly Report, 67:1419–1427. Retrieved from: http://dx.doi.org/10.15585/mmwr.mm675152e1.
- Lopez, G. How to Stop the Deadliest Drug Overdose Crisis in American History. Vox, March 03, 2021. Retrieved from https://www.vox.com/science-and-health/2017/8/1/15746780/opioid-epidemic-end. 3 Dahlhamer, J., J., Lucas, C., Zelaya, et al. 2019.
- Prevalence of Chronic Pain and High-Impact Chronic Pain Among Adults United States, 2016. MMWR, 67, no. 36:1001–1006. Retrieved from https://www.cdc.gov/mmwr/volumes/67/wr/mm6736a2.htm.
- Siegel, M., E.H., Bradley, S.V., Kasl. 2003. Self-Rated Life Expectancy as a Predictor of Mortality: Evidence from the HRS and AHEAD Surveys. Gerontology, 49, no. 4:265–71. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/12792164.
- Kliff, S. The Opioid Crisis Changed How Doctors Think About Pain. Vox, June 5, 2017. Retrieved from https://www.vox.com/2017/6/5/15111936/opioid-crisis-pain-west-virginia.
- Volkow, N.D. America's Addiction to Opioids: Heroin and Prescription Drug Abuse. National Institute of Drug Abuse, May 14, 2020. Retrieved from https://archives.drugabuse.gov/testimonies/2014/americas-addiction-to-opioidsheroin-prescription-drug-abuse.