The Journey to Al Precision Diagnostics and the Impact on Patient Outcomes





by Mariano de SocarrazCEO

CORESPENDING SERVICIOS CLINICOS Y PATOLOGICOS

- High complexity, CLIA certified laboratory
 - Anatomic Pathology
 - Cytopathology
 - Molecular
 - Clinical
- Established in 1996
- Located in Carolina & Ponce
- Island-wide services





- Healthcare IT Solutions
 - Consulting
 - Support
 - Development
 - Business Intelligence
- Established in 2014
- Healthcare IT Solutions
- Located in Carolina





Industry Challenges

40%≥ 63 y/o

2021

Expected retirement apex



Professional shortage



Positivity rate on the rise In 42% between 2007 – 2017





https://digitalpathologyassociation.org/about-digital-pathology


Digital Pathology




















The Results are In!

| | Area Under the Curve | SPEC | SENS | # SLIDES |
|---------------------------------------|-------------------------|-------|-------|----------|
| CORE PL SERVICIOS CLÍNICOS Y PATOL | | 96.9% | 96.5% | 1,019 |
| MEDIP. Médecins patho indépendants | - 0.99 | 97% | 99% | 1,142 |
| UPMO LIFE CHANGING MEDIC | 0.00 | 98.5% | 97%% | 1,627 |
| MQEIQ Healthcore Serv | | 96% | 98% | 3,466 |

- 66 y/o male
- Elevated PSA
- Family Hx of Prostate Cancer










CORE PLUS
SERVICIOS CLINICOS Y PATOLOGICOS

- 66 y/o male
- Elevated PSA
- Family Hx of Prostate Cancer
- Dx = Prostate Adenocarcinoma Grade Group 2










Cancer


- 51 y/o male Slightly Elevated PSA







- 51 y/o male Slightly Elevated PSA








Cancer


- 51 y/o male
- Slightly Elevated PSA
- Dx = Microfocus
 of Prostate
 Adenocarcinoma
 Grade Group 1



Measurement

0.3mm

- 51 y/o male
- Slightly Elevated PSA
- Dx = Microfocus
 of Prostate
 Adenocarcinoma
 Grade Group 1



Measurement

0.3mm



27% shorter diagnosis time with Al compared to a microscope!

AVERAGE DIAGNOSIS TIME



Efficiency % was calculated as a ratio of GP to MIC diagnosis time

MIC – diagnosis by pathologist using the microscope

GP – diagnosis by pathologist using Galen Prostate

EFFICIENCY GAINS IN STUDY TEST

| Diagnosis | # Cases | Time (GP vs. MIC) |
|-----------|---------|-------------------|
| Benign | 34 | -32% |
| Cancer | 85 | -25% |

- Diagnosis time was 27% shorter
- Efficiency gains were slightly higher for benign cases than for cancer cases



The Power of Al in Pathology



Automate laborintensive or mundane processes

- Increase efficiency and repeatability
 - Count mitoses
 - Segment glands
 - Characterize nuclei shape



Augment pathologist

- Improve precision and productivity
 - Find tumor in image
 - Predict one imaging modality or stain from another




Innovate to learn concepts beyond human capabilities

- Discover new insights and drive impact
 - Distinguish classes too complex for human experts
 - Infer molecular biomarkers from H&E
- Predict patient outcome




Computer-Extracted Features



Al to Predict Breast Cancer Grade, ER status, Histologic and intrinsic subtypes


75 – 85% accuracy predicting ER status, RNA-based molecular subtype and risk of recurrence score.








Al-Assisted Diagnosis by Pathologist





% of Revised Reports per Al

5.0%

Pathologist A

% of Revised Reports per Al

0.5%

Pathologist B

% of Revised Reports per Al

2.1%


Pathologist C



Al-Assisted Diagnosis



2.3%
Total







Thank You!